

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	15-03-2024 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	15-03-2024 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Mines
Department Name/विभाग का नाम	Materials
Organisation Name/संगठन का नाम	National Aluminium Company Limited, Bhubaneswar
Office Name/कार्यालय का नाम	Alumina Refinery Nalco Damanjodi
Total Quantity/कुल मात्रा	83
	<p>Complete set of hot end radial soft touch seal and one set of hot end rotor post seal assly with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353100760_1_1000066659_UOM_ST , Complete set of cold end radial seal and one set of cold end rotor post seal with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353001030_2_1000066659_UOM_SET , Complete set of hot end and cold end circumferential seal with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353001040_3_1000066659_UOM_SET , Complete set of hot end radial soft touch seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000140_4_1000066659_UOM_ST , Complete set of cold end radial seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000150_5_1000066659_UOM_ST , Complete set of hot end and cold end bypass seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000160_6_1000066659_UOM_ST , Complete set of axial seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353001160_7_1000066659_UOM_SET , Complete set of hot end axial seal plate to sector plate seals with hardwares for BHEL make RAPH Size 24.5 VIT 1650 air pre-heater-14353000000_8_1000066659_UOM_SET , Complete set of cold end axial seal plate to sector plate seals with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000010_9_1000066659_UOM_SET , Cold end rotor post seal for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353047270_10_1000066659_UOM_EA , Hot end rotor post seal for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353041890_11_1000066659_UOM_EA , COMPLETE SET OF COLD END RADIAL SEAL WITH</p>

Item Category/मद केटेगरी	Bid Details/बिड विवरण
	<p>HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040120_12_1000066659_UOM_SET , COMPLETE SET OF COLD END BYPASS SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040130_13_1000066659_UOM_SET , COMPLETE SET OF COLD END ROTOR POST SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040140_14_1000066659_UOM_SET , COMPLETE SET OF HOT END BYPASS SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040160_15_1000066659_UOM_SET , COMPLETE SET OF HOT END ROTOR POST SEAL for B.H.E.L. MAKE 25.5 VIT 2000 RAPH.-14353040170_16_1000066659_UOM_SET , COMPLETE SET OF AXIAL SEALS WITH HARDWARES for B.H.E.L. MAKE 25.5 VIT 2000 RAPH. -14353040180_17_1000066659_UOM_SET , COMPLETE SET OF HOT END RADIAL SOFT SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH. -14353040190_18_1000066659_UOM_SET , BARCO SWIVEL JOINT SIZE 1.5inch 300 FLG FOR AIR PRE-HEATER TYPE 22 VIR 1650 24.5 VIT 1650 AND 25.5 VIT 2000. -14353014090_19_1000066659_UOM_EA , FILTER AND LUBRICATOR FOR RAPH TYPE 22.5 VIR 1750-14353100110_20_1000066659_UOM_SET , DELUGE PIPE ASSLY FOR RAPH 24.5 VIT 1650-14353000030_21_1000066659_UOM_SET , TAPPER LOCK BUSH WITH ADOPTER SLEEVE ALONG WITH 03 NOS CAP SCREWS FOR AIR PREHEATER TYPE 22 VIR 1650-14353046080_22_1000066659_UOM_ST , AIR PRE-HEATER GUIDE BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650-14353046220_23_1000066659_UOM_EA , AIR PRE-HEATER support BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650-14353046390_24_1000066659_UOM_EA , AIR PRE-HEATER BASKET SUPPORT ANGLE FOR APH TYPE 24.5 VIT 1650-14353104900_25_1000066659_UOM_EA , Hot end stationary spool assly with hardwares for B.H.E.L. make 25.5 VIT 2000 APH-14353040210_26_1000066659_UOM_EA , Complete set of tracking rod L1060 with nut and sleeve for guide bearing assembly for B.H.E.L. make 25.5 VIT 2000 APH-14353040230_27_1000066659_UOM_SET , Guide bearing housing assly for B.H.E.L. make 25.5 VIT 2000 APH.-14353040240_28_1000066659_UOM_SET , Hot end static seal assly for B.H.E.L. make 25.5 VIT 2000 APH. -14353040250_29_1000066659_UOM_SET , Cold end static seal assly for B.H.E.L. make 25.5 VIT 2000 APH-14353040260_30_1000066659_UOM_SET , Complete assly of aluminium seal ring of B.H.E.L. drawing no. 0-52-261-01030 for B.H.E.L. make 25.5 VIT 2000 APH-14353040270_31_1000066659_UOM_SET , Hot end sector plate roller for B.H.E.L. make 25.5 VIT 2000 APH-14353040280_32_1000066659_UOM_EA , Hot end axial seal plate to sector plate seal for B.H.E.L. make 25.5 VIT 2000 APH-14353040290_33_1000066659_UOM_SET , Complete set of T bars for hot end and cold end for B.H.E.L. make 25.5 VIT 2000 APH-14353040300_34_1000066659_UOM_SET , Complete set of cold end rotor angle for B.H.E.L. make 25.5 VIT 2000 APH-14353040310_35_1000066659_UOM_SET , Guide trunnion shaft along with fasteners for B.H.E.L. make 25.5 VIT 2000 APH. -14353040320_36_1000066659_UOM_EA , GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 25.5 VIT 2000-14353040340_37_1000066659_UOM_EA , Complete set of support rod L800 for guide bearing assembly for B.H.E.L. make 24.5 VIT 1650 APH-</p>

<b>Bid Details/बिड विवरण</b>	14353000210_38_1000066659_UOM_SET , Guide bearing housing assly for B.H.E.L. make 24.5 VIT 1650 APH- 14353000220_39_1000066659_UOM_SET , Hot end static seal assly for B.H.E.L. make 24.5 VIT 1650 APH- 14353000230_40_1000066659_UOM_SET , Cold end static seal assly for B.H.E.L. make 24.5 VIT 1650 APH- 14353000240_41_1000066659_UOM_SET , Complete assly of aluminium seal ring of B.H.E.L. drawing no. 0-52-261-01045 for 24.5 VIT 1650 APH- 14353000250_42_1000066659_UOM_SET , Hot end sector plate roller for B.H.E.L. make 24.5 VIT 1650 APH- 14353000270_43_1000066659_UOM_EA , Guide trunnion shaft along with fasteners for B.H.E.L. make 24.5 VIT 1650 APH-14353000280_44_1000066659_UOM_EA , Adapter sleeve for guide trunnion shaft for B.H.E.L. make 24.5 VIT 1650 APH-14353040360_45_1000066659_UOM_EA , GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 24.5 VIT 1650.-14353044390_47_1000066659_UOM_EA , Cold end air seal for B.H.E.L. make 22 VIR 1600 APH- 14353001100_48_1000066659_UOM_EA , GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 22 VIR 1650-14353001110_49_1000066659_UOM_SET , RAPH GB TAPERLOCK BUSH AND ADAPTOR SLEEVE ALONG WITH 03 NOS OF CAP SCREWS for B.H.E.L. make 22 VIR 1650 APH.-14353001120_50_1000066659_UOM_SET , Adapter sleeve for guide trunnion shaft for B.H.E.L. make 25.5 VIT 2000 APH-14353040330_51_1000066659_UOM_EA
<b>BOQ Title/बीओक्यू शीर्षक</b>	Spares for air pre heater
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	Yes
<b>RA Qualification Rule</b>	H1-Highest Priced Bid Elimination
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Complete set of hot end radial soft touch seal and one set of hot end rotor post seal assly with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353100760_1_1000066659_UOM_ST
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	3 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No

Bid Details/बिड विवरण	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

#### EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

#### ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

#### Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

#### MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

#### MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the

offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 100%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- If number of technically qualified bidders are only 2 or 3.
- If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

### **Complete Set Of Hot End Radial Soft Touch Seal And One Set Of Hot End Rotor Post Seal Assly With Hardwares For BHEL Make Rotary Air Pre-heater Size 22 VIR 1650-14353100760\_1\_1000066659\_UOM\_ST**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### **Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	30

### **Complete Set Of Cold End Radial Seal And One Set Of Cold End Rotor Post Seal With**

## Hardwares For BHEL Make Rotary Air Pre-heater Size 22 VIR 1650-14353001030\_2\_1000066659\_UOM\_SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	30

## Complete Set Of Hot End And Cold End Circumferential Seal With Hardware For BHEL Make Rotary Air Pre-heater Size 22 VIR 1650-14353001040\_3\_1000066659\_UOM\_SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	2	30

**Complete Set Of Hot End Radial Soft Touch Seal With Hardwares For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353000140\_4\_1000066659\_UOM\_ST**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	120

**Complete Set Of Cold End Radial Seal With Hardwares For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353000150\_5\_1000066659\_UOM\_ST**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Complete Set Of Hot End And Cold End Bypass Seal With Hardwares For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353000160\_6\_1000066659\_UOM\_ST**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Complete Set Of Axial Seal With Hardwares For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353001160\_7\_1000066659\_UOM\_SET**



**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Complete Set Of Hot End Axial Seal Plate To Sector Plate Seals With Hardwares For BHEL Make RAPH Size 24.5 VIT 1650 Air Pre-heater-14353000000\_8\_1000066659\_UOM\_SET**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	3	120

**Complete Set Of Cold End Axial Seal Plate To Sector Plate Seals With Hardwares For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353000010\_9\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	3	120

**Cold End Rotor Post Seal For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353047270\_10\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Hot End Rotor Post Seal For BHEL Make Rotary Air Pre-heater Size 24.5 VIT 1650-14353041890\_11\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**COMPLETE SET OF COLD END RADIAL SEAL WITH HARDWARE For B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040120\_12\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF COLD END BYPASS SEAL WITH HARDWARE For B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040130\_13\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF COLD END ROTOR POST SEAL WITH HARDWARE For B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040140\_14\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF HOT END BYPASS SEAL WITH HARDWARE For B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040160\_15\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF HOT END ROTOR POST SEAL For B.H.E.L. MAKE 25.5 VIT 2000 RAPH.-14353040170\_16\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF AXIAL SEALS WITH HARDWARES For B.H.E.L. MAKE 25.5 VIT 2000 RAPH. -14353040180\_17\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**COMPLETE SET OF HOT END RADIAL SOFT SEAL WITH HARDWARE For B.H.E.L. MAKE 25.5 VIT 2000 RAPH. -14353040190\_18\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**BARCO SWIVEL JOINT SIZE 1.5inch 300 FLG FOR AIR PRE-HEATER TYPE 22 VIR 1650 24.5 VIT 1650 AND 25.5 VIT 2000. -14353014090\_19\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	4	30

**FILTER AND LUBRICATOR FOR RAPH TYPE 22.5 VIR 1750-14353100110\_20\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.



**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	2	30

**DELUGE PIPE ASSLY FOR RAPH 24.5 VIT 1650-14353000030\_21\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	3	30

**TAPPER LOCK BUSH WITH ADOPTER SLEEVE ALONG WITH 03 NOS CAP SCREWS FOR AIR PREHEATER TYPE 22 VIR 1650-14353046080\_22\_1000066659\_UOM\_ST**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परिषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	120

**AIR PRE-HEATER GUIDE BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650-14353046220\_23\_1000066659\_UOM\_EA**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परिषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	3	30

### AIR PRE-HEATER Support BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650-14353046390\_24\_1000066659\_UOM\_EA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	3	30

### AIR PRE-HEATER BASKET SUPPORT ANGLE FOR APH TYPE 24.5 VIT 1650-14353104900\_25\_1000066659\_UOM\_EA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	12	120

**Hot End Stationary Spool Assly With Hardware For B.H.E.L. Make 25.5 VIT 2000 APH-14353040210\_26\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	30

**Complete Set Of Tracking Rod L1060 With Nut And Sleeve For Guide Bearing Assembly For B.H.E.L. Make 25.5 VIT 2000 APH-14353040230\_27\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	30

**Guide Bearing Housing Assly For B.H.E.L. Make 25.5 VIT 2000 APH. - 14353040240\_28\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Hot End Static Seal Assly For B.H.E.L. Make 25.5 VIT 2000 APH. - 14353040250\_29\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Cold End Static Seal Assly For B.H.E.L. Make 25.5 VIT 2000 APH- 14353040260\_30\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Complete Assly Of Aluminium Seal Ring Of B.H.E.L. Drawing No. 0-52-261-01030 For B.H.E.L. Make 25.5 VIT 2000 APH-14353040270\_31\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Hot End Sector Plate Roller For B.H.E.L. Make 25.5 VIT 2000 APH-14353040280\_32\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Hot End Axial Seal Plate To Sector Plate Seal For B.H.E.L. Make 25.5 VIT 2000 APH-14353040290\_33\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Complete Set Of T Bars For Hot End And Cold End For B.H.E.L. Make 25.5 VIT 2000 APH-14353040300\_34\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Complete Set Of Cold End Rotor Angle For B.H.E.L. Make 25.5 VIT 2000 APH-14353040310\_35\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	30

**Guide Trunnion Shaft Along With Fasteners For B.H.E.L. Make 25.5 VIT 2000 APH. - 14353040320\_36\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	30

**GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB And ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 25.5 VIT 2000-14353040340\_37\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Complete Set Of Support Rod L800 For Guide Bearing Assembly For B.H.E.L. Make 24.5 VIT 1650 APH-14353000210\_38\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	120

### Guide Bearing Housing Assly For B.H.E.L. Make 24.5 VIT 1650 APH-14353000220\_39\_1000066659\_UOM\_SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

### Hot End Static Seal Assly For B.H.E.L. Make 24.5 VIT 1650 APH-14353000230\_40\_1000066659\_UOM\_SET

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Cold End Static Seal Assly For B.H.E.L. Make 24.5 VIT 1650 APH-14353000240\_41\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Complete Assly Of Aluminium Seal Ring Of B.H.E.L. Drawing No. 0-52-261-01045 For 24.5 VIT 1650 APH-14353000250\_42\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Hot End Sector Plate Roller For B.H.E.L. Make 24.5 VIT 1650 APH-14353000270\_43\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

### Guide Trunnion Shaft Along With Fasteners For B.H.E.L. Make 24.5 VIT 1650 APH-14353000280\_44\_1000066659\_UOM\_EA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

### Adapter Sleeve For Guide Trunnion Shaft For B.H.E.L. Make 24.5 VIT 1650 APH-14353040360\_45\_1000066659\_UOM\_EA

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	120

**GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB And ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 24.5 VIT 1650.-14353044390\_47\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008,Alumina Refinery Nalco, Damanjodi	1	120

**Cold End Air Seal For B.H.E.L. Make 22 VIR 1600 APH-14353001100\_48\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)



**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

<b>S.No./क्र. सं.</b>	<b>Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी</b>	<b>Address/पता</b>	<b>Quantity/मात्रा</b>	<b>Delivery Days/डिलीवरी के दिन</b>
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	120

**GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB And ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 22 VIR 1650-14353001110\_49\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

<b>Specification Document</b>	<a href="#">View File</a>
<b>BOQ Detail Document</b>	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	2	120

**RAPH GB TAPERLOCK BUSH AND ADAPTOR SLEEVE ALONG WITH 03 NOS OF CAP SCREWS For B.H.E.L. Make 22 VIR 1650 APH.-14353001120\_50\_1000066659\_UOM\_SET**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	120

**Adapter Sleeve For Guide Trunnion Shaft For B.H.E.L. Make 25.5 VIT 2000 APH-14353040330\_51\_1000066659\_UOM\_EA**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Arbind Kumar Singh	763008, Alumina Refinery Nalco, Damanjodi	1	30

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3. Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

**4. Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

**5. Generic**

**Registration / Empanelment Requirement:** Contract shall be awarded to only such sellers , who are registered / empanelled / approved / enlisted with

NALCO REFINERY DAMANJODI

for the required goods / service category on the date of bid opening. Prospective bidders (if not already registered), are advised to get themselves registered with the said registration authority before bid opening date. (It is certified that the registration is granted by the registering agency as per Rule 150 of GFR following a fair, transparent and reasonable procedure.)

**6. Generic**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

**7. Buyer Added Bid Specific ATC**

#### Buyer Added text based ATC clauses

1) Bidder shall submit point wise confirmation of specification as well as special conditions along with the offer.

2) Prices on gem are inclusive of all cost component i.e. GST, freight, P&F, insurance etc. Any other condition mentioned anywhere in the attachment shall be ignored. Note- **Prices to be offered as per the UOM given in the BOQ/tender documents.**

1 set price shall be the summation of all the items' prices multiplied by the respective quantities. **Bidder should mandatorily quote for all items.**

3) Vendor should submit bid only if tender additional terms & conditions and GEM general terms & conditions are acceptable. Any commercial term mentioned as an attachment shall be ignored.

4) TDS under section 194Q:

- a) Finance Act 2021 has brought amendments in existing TDS/TCS Sections and has introduced new Sections 194Q (Deduction of tax at Source on payment of certain sum for purchase of goods ) and 206AB (Special provision for deduction of tax at source for non-filers of income-tax return) among others. The above Sections would be effective from 01st July, 2021.
- b) NALCO, being Buyer (under Section 194Q inserted in the Income Tax Act, 1961 vide Finance Act 2021 ) having total sales, gross receipts, or turnover from business above Rupees Ten Crores during the last Financial Year, will deduct TDS under Section 194Q, w.e.f. 01.07.2021, at the prescribed rate of 0.1% on the purchase value of any goods, aggregate of which is exceeding the threshold limit of Rs.50 Lakhs in a Financial year.
- c) Accordingly, Vendors/Sellers are not to collect tax at source under section 206C(1H) of the Act w.e.f. 01.07.2021, in case provisions of section are applicable to them.
- d) The above is as per the current statute and is subject to modification(s) based on amendments/ notifications under Income Tax Act, 1961, from time to time. Income Tax TDS, as applicable at the prevailing rate on the gross amount billed shall be deducted from the contractor's bills.
- e) Vendor/Party categorised/designated as "specified person" under Section 206AB of Income Tax Act, 1961 shall be liable for TDS at higher rate as provided under the said section, by NALCO. So, Vendors/Contractors are advised to submit self-certified copies of Income Tax return (ITR) for each of the Two Previous Years for which due date for filing of **ITR** has expired, along with the Invoice/Bill so as to facilitate NALCO, verify the applicability of Section 206AB.

5) NALCO's Vision, Mission, Core Values, Social accountability policy, Environment policy, OHS policy & Energy policy are given in the attached file for the knowledge of the suppliers for having a better understanding of NALCO company.

6) NALCO is a SA8000 certified company and all bidders interested to supply material to NALCO should be committed to social accountability. Hence, please submit the completely filled SA8000 questionnaire provided with the tender (without any alteration to the format) along with the offer. SA8000 certified companies can submit their certification. Non-compliance to the requirements of SA8000 may lead to rejection of the offer.

7) Payment term: 100% payment within 10 days of receipt and acceptance of goods at site.

**Note: Payment of GST is subject to the reflection of invoice in GSTR-2A/Anx-2 (GST New Return) of NALCO.**

8) In case of order placement, vendor shall comply to **EHS (Environment Health & Safety) GUIDELINES TO SUPPLIERS** provided with the tender.

9) DELIVERY AND PRICE REDUCTION SCHEDULE / LIQUIDATED DAMAGES: Delivery period is the essence of the contract and the materials should be delivered within this time, failing which, NALCO without prejudice to its rights under the contract shall have the option either to reduce the price @ 1/2% of order value per week or part thereof subject to a maximum of 5% of the undelivered portion/the order value (if the item(s) cannot be used unless full supply is made) or to cancel the Order

and purchase the materials from alternative source at the risk and cost of the supplier.

**10) No communication shall be entertained out side GeM regarding the subject tender. Representation, if any, for clarification against this tender may be raised on GeM only.**

11) Bidder must submit the attached declaration for Implementation of integrity for consideration of their offer for evaluation.

12) Bank Mandate form is attached in buyer added document. Bidder(s) 'not registered' with NALCO needs to submit the 'Bank Mandate' form along with the offer.

13) Contact details for matters related to receipt of material, GRN and payment in case of order placement:

Receipt of material, GRN and CRAC-

Sri C.S. Nayak , DM(Materials),

Mobile- 9437160060

e.mail id: chandra.nayak@nalcoindia.co.in

For payment-

Sri Manoranjan Sahoo, DM(Finance)

Mobile no: 9437457403

e.mail id: manoranjan.sahoo@nalcoindia.co.in

#### **8. Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file](#).

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.

11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action

in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**

## Technical Specification and Requirement

S.No.	Material	Material Specification	Quantity	UoM
1	Complete set of hot end radial soft touch seal and one set of hot end rotor post seal assly with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353100760_1_1000066 659_UOM_ST	Complete set of hot end radial soft touch seal and one set of hot end rotor post seal assly with hardwares for M/s BHEL make rotary air pre-heater, Size: 22 VIR 1650. Direction of rotation when viewed from hot end: counter clockwise.	2	ST
2	Complete set of cold end radial seal and one set of cold end rotor post seal with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353001030_2_1000066 659_UOM_SET	Complete set of cold end radial seal and one set of cold end rotor post seal with hardwares for M/s BHEL make rotary air pre-heater, Size: 22 VIR 1650. Direction of rotation when viewed from hot end: counter clockwise.	2	SET
3	Complete set of hot end and cold end circumferential seal with hardwares for BHEL make rotary air pre-heater Size 22 VIR 1650-14353001040_3_1000066 659_UOM_SET	Complete set of hot end and cold end circumferential seal with hardware for M/s BHEL make rotary air pre-heater, Size: 22 VIR 1650. Direction of rotation when viewed from hot end: counter clockwise.	2	SET
4	Complete set of hot end radial soft touch seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000140_4_1000066 659_UOM_ST	Complete set of hot end radial soft touch seal with hardwares for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	1	ST
5	Complete set of cold end radial seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000150_5_1000066 659_UOM_ST	Complete set of cold end radial seal with hardwares for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	1	ST
6	Complete set of hot end and cold end bypass seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000160_6_1000066 659_UOM_ST	Complete set of hot end and cold end bypass seal with hardwares for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	1	ST
7	Complete set of axial seal with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353001160_7_1000066 659_UOM_SET	Complete set of axial seal with hardwares for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. One set consists of axial seals for all the three axial seal plates. Direction of rotation when viewed from hot end: counter clockwise.	1	SET
8	Complete set of hot end axial seal plate to sector plate seals with hardwares for BHEL make RAPH Size 24.5 VIT 1650 air pre-heater-14353000000_8_1000066 659_UOM_SET	Complete set of hot end axial seal plate to sector plate seals with hardwares for M/s BHEL make RAPH, Size: 24.5 VIT 1650 air pre-heater. Direction of rotation when viewed from hot end: counter clockwise.	3	SET

S.No.	Material	Material Specification	Quantity	UoM
9	Complete set of cold end axial seal plate to sector plate seals with hardwares for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353000010_9_100006659_UOM_SET	Complete set of cold end axial seal plate to sector plate seals with hardwares for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	3	SET
10	Cold end rotor post seal for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353047270_10_1000066659_UOM_EA	Cold end rotor post seal for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	1	EA
11	Hot end rotor post seal for BHEL make rotary air pre-heater Size 24.5 VIT 1650-14353041890_11_1000066659_UOM_EA	Hot end rotor post seal for M/s BHEL make rotary air pre-heater, Size: 24.5 VIT 1650. Direction of rotation when viewed from hot end: counter clockwise.	1	EA
12	COMPLETE SET OF COLD END RADIAL SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040120_12_1000066659_UOM_SET	COMPLETE SET OF COLD END RADIAL SEAL WITH HARDWARE FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
13	COMPLETE SET OF COLD END BYPASS SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040130_13_1000066659_UOM_SET	COMPLETE SET OF COLD END BYPASS SEAL WITH HARDWARE FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
14	COMPLETE SET OF COLD END ROTOR POST SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040140_14_1000066659_UOM_SET	COMPLETE SET (04NOS) OF COLD END ROTOR POST SEAL WITH HARDWARE FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
15	COMPLETE SET OF HOT END BYPASS SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH-14353040160_15_1000066659_UOM_SET	COMPLETE SET OF HOT END BYPASS SEAL WITH HARDWARE FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
16	COMPLETE SET OF HOT END ROTOR POST SEAL for B.H.E.L. MAKE 25.5 VIT 2000 RAPH.-14353040170_16_1000066659_UOM_SET	COMPLETE SET (04NOS) OF HOT END ROTOR POST SEAL FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
17	COMPLETE SET OF AXIAL SEALS WITH HARDWARES for B.H.E.L. MAKE 25.5 VIT 2000 RAPH. -14353040180_17_1000066659_UOM_SET	COMPLETE SET OF AXIAL SEALS WITH HARDWARES FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET



S.No.	Material	Material Specification	Quantity	UoM
18	COMPLETE SET OF HOT END RADIAL SOFT SEAL WITH HARDWARE for B.H.E.L. MAKE 25.5 VIT 2000 RAPH. - 14353040190_18_100006 6659_UOM_SET	COMPLETE SET OF HOT END RADIAL SOFT SEAL WITH HARDWARE FOR M/S B.H.E.L. MAKE 25.5 VIT 2000 RAPH. THE DIRECTION OF ROTATION OF RAPH IS COUNTER CLOCKWISE WHEN VIEWED FROM HOT END.	1	SET
19	BARCO SWIVEL JOINT SIZE 1.5inch 300 FLG FOR AIR PRE-HEATER TYPE 22 VIR 1650 24.5 VIT 1650 AND 25.5 VIT 2000. - 14353014090_19_100006 6659_UOM_EA	BARCO SWIVEL JOINT, SIZE: 1.5", 300 FLG FOR AIR PRE-HEATER, TYPE:22 VIR 1650, 24.5 VIT 1650 AND 25.5 VIT 2000. THE BARCO SWIVEL JOINT SHALL ALSO INCLUDE GRAPHITE PELLETS ALONG WITH BARCO SWIVEL JOINT.	4	EA
20	FILTER AND LUBRICATOR FOR RAPH TYPE 22.5 VIR 1750- 14353100110_20_100006 6659_UOM_SET	FILTER AND LUBRICATOR FOR RAPH TYPE 22.5 VIR 1750	2	SET
21	DELUGE PIPE ASSLY FOR RAPH 24.5 VIT 1650 - 14353000030_21_100006 6659_UOM_SET	DELUGE PIPE ASSLY FOR RAPH 24.5 VIT 1650	3	SET
22	TAPPER LOCK BUSH WITH ADOPTER SLEEVE ALONG WITH 03 NOS CAP SCREWS FOR AIR PREHEATER TYPE 22 VIR 1650- 14353046080_22_100006 6659_UOM_ST	TAPPER LOCK BUSH WITH ADOPTER SLEEVE ALONG WITH 03 NOS CAP SCREWS FOR AIR PREHEATER TYPE 22 VIR 1650. SHALL BE SUPPLIED AS A COMPLETE UNIT.	2	ST
23	AIR PRE-HEATER GUIDE BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650- 14353046220_23_100006 6659_UOM_EA	AIR PRE-HEATER GUIDE BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650	3	EA
24	AIR PRE-HEATER support BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650- 14353046390_24_100006 6659_UOM_EA	AIR PRE-HEATER support BEARING LUBE OIL FILTER FOR APH TYPE 24.5 VIT 1650	3	EA
25	AIR PRE-HEATER BASKET SUPPORT ANGLE FOR APH TYPE 24.5 VIT 1650- 14353104900_25_100006 6659_UOM_EA	AIR PRE-HEATER BASKET SUPPORT ANGLE FOR APH TYPE 24.5 VIT 1650	12	EA
26	Hot end stationary spool assly with hardwares for B.H.E.L. make 25.5 VIT 2000 APH- 14353040210_26_100006 6659_UOM_EA	Hot end stationary spool assly with hardwares. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5	1	EA
27	Complete set of tracking rod L1060 with nut and sleeve for guide bearing assembly for B.H.E.L. make 25.5 VIT 2000 APH- 14353040230_27_100006 6659_UOM_SET	Complete set of tracking rod (L1060) with nut & sleeve for guide bearing assembly. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. Required for Boiler #5. One set consists of 04 nos.	2	SET

S.No.	Material	Material Specification	Quantity	UoM
28	Guide bearing housing assly for B.H.E.L. make 25.5 VIT 2000 APH. - 14353040240_28_1000066659_UOM_SET	Guide bearing housing assly. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5	1	SET
29	Hot end static seal assly for B.H.E.L. make 25.5 VIT 2000 APH. - 14353040250_29_1000066659_UOM_SET	Hot end static seal assly. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5	1	SET
30	Cold end static seal assly for B.H.E.L. make 25.5 VIT 2000 APH- 14353040260_30_1000066659_UOM_SET	Cold end static seal assly. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5	1	SET
31	Complete assly of aluminium seal ring of B.H.E.L. drawing no. 0-52-261-01030 for B.H.E.L. make 25.5 VIT 2000 APH- 14353040270_31_1000066659_UOM_SET	Complete assly of aluminium seal ring consisting of item nos. 28,43,44,45,46,48,49,51,52,59 of B.H.E.L. drawing no. 0-52-261-01030. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5	1	SET
32	Hot end sector plate roller for B.H.E.L. make 25.5 VIT 2000 APH- 14353040280_32_1000066659_UOM_EA	Hot end sector plate roller. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5. One EA consists of 03 pieces of rollers for APH.	1	EA
33	Hot end axial seal plate to sector plate seal for B.H.E.L. make 25.5 VIT 2000 APH - 14353040290_33_1000066659_UOM_SET	Hot end axial seal plate to sector plate seal. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5. One set consists of 03 nos.	1	SET
34	Complete set of T bars for hot end and cold end for B.H.E.L. make 25.5 VIT 2000 APH- 14353040300_34_1000066659_UOM_SET	Complete set of T bars for hot end and cold end. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5.	1	SET
35	Complete set of cold end rotor angle for B.H.E.L. make 25.5 VIT 2000 APH- 14353040310_35_1000066659_UOM_SET	Complete set of cold end rotor angle. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5.	1	SET
36	Guide trunnion shaft along with fasteners for B.H.E.L. make 25.5 VIT 2000 APH. - 14353040320_36_1000066659_UOM_EA	Guide trunnion shaft along with fasteners. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5.	1	EA
37	GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 25.5 VIT 2000 - 14353040340_37_1000066659_UOM_EA	GEAR BOX OUTPUT PINION(UP SHAFT DESIGN) ALONG WITH TLB & ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 25.5 VIT 2000 OF BOILER-5	1	EA

S.No.	Material	Material Specification	Quantity	UoM
38	Complete set of support rod L800 for guide bearing assembly for B.H.E.L. make 24.5 VIT 1650 APH-14353000210_38_1000066659_UOM_SET	Complete set of support rod (L800) for guide bearing assembly. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. Required for Boiler #4. One set consists of 04 nos.	2	SET
39	Guide bearing housing assly for B.H.E.L. make 24.5 VIT 1650 APH-14353000220_39_1000066659_UOM_SET	Guide bearing housing assly. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4	1	SET
40	Hot end static seal assly for B.H.E.L. make 24.5 VIT 1650 APH-14353000230_40_1000066659_UOM_SET	Hot end static seal assly. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4	1	SET
41	Cold end static seal assly for B.H.E.L. make 24.5 VIT 1650 APH-14353000240_41_1000066659_UOM_SET	Cold end static seal assly. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4	1	SET
42	Complete assly of aluminium seal ring of B.H.E.L. drawing no. 0-52-261-01045 for 24.5 VIT 1650 APH-14353000250_42_1000066659_UOM_SET	Complete assly of aluminium seal ring consisting of item nos. 24 to 34 of B.H.E.L. drawing no. 0-52-261-01045. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4	1	SET
43	Hot end sector plate roller for B.H.E.L. make 24.5 VIT 1650 APH-14353000270_43_1000066659_UOM_EA	Hot end sector plate roller. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4. One EA consists of 03 pieces of rollers for APH.	1	EA
44	Guide trunnion shaft along with fasteners for B.H.E.L. make 24.5 VIT 1650 APH-14353000280_44_1000066659_UOM_EA	Guide trunnion shaft along with fasteners. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4.	1	EA
45	Adapter sleeve for guide trunnion shaft for B.H.E.L. make 24.5 VIT 1650 APH -14353040360_45_1000066659_UOM_EA	Adapter sleeve for guide trunnion shaft. Required for M/s B.H.E.L. make 24.5 VIT 1650 APH. Item No. 13 of B.H.E.L. Drg. No. 0-52-261-01045. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #4.	1	EA
46	GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 24.5 VIT 1650.-14353044390_47_1000066659_UOM_EA	GEAR BOX OUTPUT PINION(UP SHAFT DESIGN) ALONG WITH TLB & ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 24.5 VIT 1650 OF BOILER-4	1	EA
47	Cold end air seal for B.H.E.L. make 22 VIR 1600 APH-14353001100_48_1000066659_UOM_EA	Cold end air seal. Required for M/s B.H.E.L. make 22 VIR 1600 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #1/#2/#3	2	EA

S.No.	Material	Material Specification	Quantity	UoM
48	GEAR BOX OUTPUT PINION UP SHAFT DESIGN ALONG WITH TLB and ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 22 VIR 1650-14353001110_49_1000066659_UOM_SET	GEAR BOX OUTPUT PINION(UP SHAFT DESIGN) ALONG WITH TLB & ADAPTOR SLEEVE FOR AIR PREHEATER TYPE 22 VIR 1650 OF BOILER #1/#2/#3	2	SET
49	RAPH GB TAPERLOCK BUSH AND ADAPTOR SLEEVE ALONG WITH 03 NOS OF CAP SCREWS for B.H.E.L. make 22 VIR 1650 APH.-14353001120_50_1000066659_UOM_SET	RAPH G/B TAPERLOCK BUSH AND ADAPTOR SLEEVE ALONG WITH 03 NOS OF CAP SCREWS. Required for M/s B.H.E.L. make 22 VIR 1650 APH. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #1/#2/#3. To be supplied as a complete unit.	1	SET
50	Adapter sleeve for guide trunnion shaft for B.H.E.L. make 25.5 VIT 2000 APH.-14353040330_51_1000066659_UOM_EA	Adapter sleeve for guide trunnion shaft. Required for M/s B.H.E.L. make 25.5 VIT 2000 APH. Item No. 12 of B.H.E.L. Drg. No. 0-52-261-01030. The direction rotation of APH is counter clockwise when viewed from hot end. Required for Boiler #5.	1	EA

#### Special Conditions

1	The materials shall be guaranteed by the supplier for a period of 12 months from the date of commissioning or 18 months from the date of delivery, whichever is earlier. A certificate to this effect shall be submitted along with the supply.
2	Party shall submit raw material test certificate, fitment and interchangeability certificate along with the supply. In case of any discrepancy noticed during fitment of the item, party shall replace the item free of cost at site within one month of getting intimation from NALCO.
3	Party shall clearly mention P.O. Sl. No. and material codes on each item.
4	Party shall supply item nos. 1,2,3,12,13,14,15,16,17,18,19,20,21,23,24,26,27,28,29,30,31,32, 33,34,35,36 & 50 within 30 days and remaining items shall be supplied by party within 120 days of order placement as mentioned in tender. This is mandatory requirement and party shall accept this criterion while participating in the tender.

## CHECKLIST FOR TECHNICAL AND COMMERCIAL REQUIREMENTS

S.No.	Nalco's Requirement	Bidder's Remarks
1	Item has been quoted as per material specification document without any deviation.	Yes/No.
2	Duly signed and stamped 'Technical Specification' document <b>along with the supporting documents</b> has been submitted.	Yes/No.
3	Prices are quoted on 'FOR Nalco Stores, Damanjodi' basis including all cost component viz. GST, P&F, freight, insurance etc.	Yes/No.
4	Offer shall be valid for 90 days from the date of opening of tender i.e. final tender opening date with extension time, if any	Agreed/Not agreed
5	Payment term: <b>100% payment shall be released within 10 days of receipt and acceptance of material at site.</b> Note: Payment of GST is subject to the reflection of invoice in GSTR-2A/Anx-2 (GST New Return) of NALCO.	Agreed/Not agreed
6	Item(s) shall be procured as per the evaluation criteria mentioned in the tender. This condition will supersede any other related condition mentioned by the bidder in their offer.	Agreed/Not agreed
7	Please confirm acceptance to the tender delivery period.	Accepted/Not Accepted
8	Please indicate the despatching station of the material.	
9	Duly filled <b>Integrity Declaration</b> has been submitted with the offer	Submitted/Not Submitted
10	Duly filled SA 8000 questionnaire provided with the tender has been submitted	Submitted/Dealer
11	Bank Mandate has been submitted with the offer	Submitted/Registered vendor-no change in already updated bank details
12	Duly filled Local Content Declaration Certificate as per PPP_MII order has been submitted with the offer (format attached).	Submitted/Not Submitted
13	UDYAM Registration Certificate for claiming preference under MSE goods supplier	Submitted/Not applicable

(Bidder's Signature with stamp)

**(Declaration by the bidder on their letter head)**

To,  
GM(Materials),  
M/s. National Aluminium Company Limited,  
Refinery Unit, Damanjodi  
Dist.-Koraput, Odisha-763008

Date-

Dear Sir,

We, M/s. \_\_\_\_\_ having its office at \_\_\_\_\_(address)

hereby confirm that the offered product has \_\_\_\_% of the local content as per the definition of local content in order No.P-45021/2/2017-PP(BE-II) dtd. 16.09.2020 issued by Gol.

Following is/are the location(s) at which local value addition is made:

\_\_\_\_\_  
\_\_\_\_\_

Yours sincerely,

Signature

Name

Designation

Contact No.

## NALCO's Vision, Mission and Value Statement

### **Vision**

To be a Premier and Integrated company in the Aluminium value chain with strategic presence in Mining both domestic & global, Metals and Energy sectors.

### **Mission**

To sustainably grow multi-fold in Mining, Alumina and Aluminium business along with select diversification in Minerals, Metals and Energy sectors, while continuously improving on efficiency and business practices thus enhancing value for all stakeholders.

### **Core Values: BEST**

#### **Benefitting Stakeholders**

We provide our customers, suppliers and other stakeholders with utmost level of value, service and satisfaction.

#### **Excellence and quality**

We ensure that our products, manufacturing & business processes adhere to the highest quality levels and standards.

#### **Sustainability**

We relentlessly pursue sustainable practices and create a positive impact on the communities we engage with.

#### **Trust & Integrity**

We conduct ourselves with dignity, integrity, equity, transparency and accountability to build trust.

## Alumina Refinery's Vision, Mission

### **Vision**

To be a world-class Alumina Refinery

### **Mission**

To sustainably grow multifold in Alumina Business while continuously improving on efficiency and business practices thus enhancing value for all stakeholders.

## **Declaration by Bidder for Implementation of Integrity**

**Tender Ref:** \_\_\_\_\_

I/We ( \_\_\_\_\_ Name of the Bidder \_\_\_\_\_ ) commit to take all measures necessary to prevent corrupt practices, unfair means and illegal activities during any stage of his bid or during any pre-contract or post-contract stage in order to secure the contract. I/ We further undertakes that

- Will not offer, directly or through intermediaries, any bribe, gift, consideration, reward, favour, any material or immaterial benefit or other advantage to any official of the Buyer, connected directly or indirectly with the bidding process, evaluation, contracting and implementation of the Contract.
- will not collude with other parties interested in the contract to impair the transparency, fairness and progress of the bidding process, bid evaluation, contracting and implementation of the contract.
- will not accept any advantage in exchange for any corrupt practice, unfair means and illegal activities.
- will commits to refrain from giving any complaint directly or through any other manner without supporting it with full and verifiable fact.
- will not instigate or cause to instigate any third person to commit any of the actions mentioned above.

Yours faithfully

(authorized signatory of the Bidder)

Date:



SL. NO.	<b>EHS (Environment Health &amp; Safety) GUIDELINES TO SUPPLIERS</b>
1	<b>For Suppliers of Capital equipment &amp; machinery:</b> <ol style="list-style-type: none"> <li>1. Competence/maintenance/calibration requirements if any to be compiled.</li> <li>2. Does the machine need any hazardous chemicals as per MSIHC rules 1989 &amp; amendment thereafter?</li> <li>3. Noise level at 2 Meter distance is to be specified.</li> <li>4. The machine shall comply with applicable EHS legislations.</li> </ol>
2	<b>For Suppliers of Hazardous Chemicals/Inflammable Chemicals:</b> <ol style="list-style-type: none"> <li>1. You have to comply with applicable EHS legislations for manufacture, storage, transportation and possession of hazardous chemicals/inflammable liquid/gas cylinder rules.</li> <li>2. MSDS guidelines shall be followed by your organization for proper storage, transportation of hazardous materials and others as applicable.</li> <li>3. Provide MSDS at the time of first consignment or whatever any update is there to the company.</li> <li>4. Fire extinguisher is to be maintained in working condition in your organization.</li> <li>5. Avoid leakage of oil, water, coolant etc. in your organization to conserve natural resources.</li> <li>6. Provide TREM Cards to drivers for handling transportation emergencies.</li> <li>7. To use personal protective equipment such as helmets/gloves/shoes/ear plugs/welder goggles as specified and to follow safe work procedures in your organization.</li> <li>8. You should explain to your workers about potential hazards, accidents, emergencies, environmental impact and explain all precautions to be taken.</li> </ol>
3	For Suppliers of gas cylinders, the requirement of Gas Cylinder Rules and it's current amendment are to be ensured.
4	For Suppliers dispatching Full Truck –load material on their own truck must ensure the following: <ol style="list-style-type: none"> <li>1. Driver should have valid documents including Driving Licence and pollution control certificate.</li> <li>2. Unauthorised person should not drive the vehicle.</li> <li>3. Driver should strictly follow the speed regulations and other guidelines given by CISF.</li> </ol>

## **SOCIAL ACCOUNTABILITY POLICY**

We at NALCO are committed to provide a socially accountable work environment to all employees and uphold ethical business practices by respecting employees' rights.

We shall achieve these by adopting a companywide culture, which will help to promote:

- ✚ Involvement of all employees in sustenance of SA 8000 standard;
- ✚ Continual improvement initiatives in all social issues;
- ✚ Learning and training opportunities to all employees;
- ✚ Fulfillment of relevant statutory rules & regulations, ILO requirements, applicable international instruments and their interpretation.

\*\*\*\*\*

## **ENVIRONMENT POLICY**

In recognition of the interests of the society in securing sustainable industrial growth, compatible with a wholesome environment, NALCO affirms that it assigns high importance to promotion and maintenance of a pollution-free environment in all its activities.

### **OBJECTIVES:**

- ✚ To use non-polluting and environment-friendly technology.
- ✚ To monitor regularly air, water, land, noise and other environmental parameters.
- ✚ To constantly improve upon the standards of pollution control and provide a leadership in environment management.
- ✚ To develop employees' awareness on environmental responsibilities and encourage adherence to sound environmental practices.
- ✚ To work closely with the Government & local authorities to prevent or minimize adverse consequences of the industrial activities on the environment.
- ✚ To comply with all applicable laws governing environment protection through appropriate mechanisms.
- ✚ To actively participate in social welfare and environmental development activities of the locality around its Units.

\*\*\*\*\*

## **OCCUPATIONAL HEALTH & SAFETY POLICY**

NALCO is committed to maintain a Safe, Healthy and Sustainable work environment in all its operations. This shall be achieved by:

- ✚ Focusing on prevention of Accidents and Occupational Health issues.
- ✚ Complying with all legal requirements & other requirements related to Safety and Occupational Health of persons and establishing clearly defined goals & procedures to achieve the same.
- ✚ Ensuring Safety & Health of all employees and contract workers in its premises, including those involved in transportation, cleaning and other such activities.
- ✚ Conducting Periodic Safety Audits, Environment Audits, Health Check-ups and Risk Assessment by both internal and external qualified persons.
- ✚ Considering aspects related to Safety and Health of personnel as well as environmental issues at the time of procurement of equipment and selection of technologies.
- ✚ Ensuring health of persons in the peripheral locations, likely to be affected by our operations.
- ✚ Periodically monitoring and reviewing safety & occupational health issues at relevant levels, including the highest levels.
- ✚ Communicating Safety Hazards and health related issues to all concerned through suitable means, including training.
- ✚ Involving the workmen in Policy implementation as well as identification of potential issues.
- ✚ Considering Health & Safety performance of individuals at different levels during their career advancement as per NALCO's policy.
- ✚ Establishing and maintaining suitable set-up with competent persons to monitor and bring to the notice of the management any issues related to unsafe conditions & practices.
- ✚ Striving for continual improvements, exceeding statutory compliance levels, wherever feasible.

\*\*\*\*\*

## **ENERGY POLICY**

Enhancing Energy Performance, comprehensively optimising Energy Use, Energy Consumption and Energy Efficiency, is a major imperative for an Energy Intensive industry like ours. In recognition of this, we will focus on continual improvement of all round Energy Performance with special focus on areas of significance by way of having in place Energy Objectives based on the enshrined Guiding Principles.

### **Guiding Principles:**

- To endeavour for reduction in Specific Consumption of Energy in all forms in areas of significance.
- To ensure availability of correct information in time and to make available necessary resources for achieving the Objectives and Targets.
- To comply with all applicable legal and other statutory/ regulatory requirements related to our energy use, consumption and efficiency.
- To espouse Energy Efficient Technology encompassing procurement of Energy Efficient products & services and design for energy performance improvement.
- To carry out Energy audits and Energy reviews at planned intervals, to improve energy performance.

\*\*\*\*\*

## Social Accountability 8000 Compliance Format (Supplier)

### **A. Basic information**

<b>Name of the organization</b>		
<b>Address</b>		
<b>Telephone No</b>		
<b>Name of the Proprietor</b>		
<b>Nature of Business</b>		
<b>License Number and date of expiry</b>		
<b>Employees</b>	<b>Staff (Total Number)</b>	<b>Workmen (Total Number)</b>
• Permanent		
• Casual		
• Badli		
• Temporary		
• Contracted		

### **B. Information regarding Social Accountability**

- What is the minimum age required to join your organization? \_\_\_\_\_ Years
- What types of certificates (Like mark sheet, birth certificate) you keep with you? Original Copy / Xerox
- Do you require to keep any kind of deposit in form of cash at the time of employment? Yes/No
- Do you provide safe & healthy work environment as per statutory requirement? Yes/No
- If directly not provided by you, do you get health & safety benefits from NALCO? Yes/No
- Do you provide personal protective equipment(s) to your employees free of cost? Yes/No
- Do you provide safety training to your employees? Yes/No
- Do you ensure canteen facility for your employees? Yes/No
- Do you have any procedure in your organization for Accessing work place related risk? Yes/No
- Do you have any worker participation based team Such as SPT (social performance Team) and Safety health Committee (SHC)? Yes/No
- Do you have any procedure in your organization for Consultation with stake holder & interested parties for

- improvement of the system? Yes/No
- Does your organization charge any employment fee from workers? Yes/No
- Do you have any system for consultation & communication with Employees and other interested parties to understand the provision Of SA-8000? Yes/No
- Do you have any procedure for handling the grievance and problems of the workers? Yes/No
- Do you have any evaluation system for your suppliers, sub-suppliers And contractors? Yes/No
- What types of medical benefits you provide to your employees?

---



---



---

- Do you allow trade union and collective bargaining in your organization? Yes/No

If no, how do you ensure freedom of expression?

---



---



---



---

- Incase of non-performance of any employee, how do you deal with such situations?

---



---



---



---

- What are the procedures of hiring/promotion/ remuneration in your organization?

---



---



---



---

- Do you provide appointment letter to your employees? Yes/No
- Do you maintain a documented terms and conditions

of employment? Yes/No

- Do you maintain a disciplinary procedure? Yes/No

If no, how do you terminate your employee?

---

---

---

---

---

- How do you ensure that your employees are not discrimination on the basis of cast creed, gender, religion, age and dieses?

---

---

---

- How many shift you have? \_\_\_\_\_ shifts
- What is the official working time? \_\_\_\_\_ hours
- Which day is off day in your organization? \_\_\_\_\_
- In case, a person works in off day or holiday, how is he/she compensated?

---

---

---

- Do you pay overtime to your employeesas per law? Yes/No
- What is the lowest amount (salary/wage) you pay to your employees? Rs.\_\_\_\_\_-/-
- Is there any case of deduction in wage? Yes/No
- In case, it is yes, what are the general reasons for such deduction?

---

---

- 
- 
- Is there any apprentice period in your organization? Yes/No
  - If yes, what is the apprentice period in your organization? \_\_\_\_\_
  - Do you have any international certification Yes/No
  - If yes, please specify
- 
- 

- Do you receive, handle or promote goods and/or services from supplier/subcontractors or sub-suppliers Yes/No
  - Do you receive, handle or promote goods and/or services from supplier/subcontractors or sub-suppliers who are classified as home worker? Yes/No
  - If yes, what steps you have taken to ensure that they get similar level of protection as afforded directly by permanent employees?
- 
- 
- 
- 

- Have you taken care to look into issues related to child labour Forced labour, health & safety, working hours and remuneration of your suppliers Yes/No

We do hereby declare that our organization is committed to social accountability. We will promptly implement remedial/corrective actions identified against the requirement and promptly inform your organization. We also declare that the sub contractors/sub supplier's performances are monitored by us. Moreover, we declare that if invited, we shall participate in awareness programme as well as monitoring programme organized by you.

We declare that the above-mentioned informations are correct.

Signature:

Designation:

Date

Seal of the organization

**MANDATE FORM FOR ELECTRONIC PAYMENT THROUGH RBI**  
**EFT/ RTGS/NEFT/Internet Banking**

**To**

**National Aluminium Company Limited,**

-----

-----

**Dear Sir,**

Sub: Authorization for release of payment due from NALCO, through RBI-EFT/Internet / RTGS.

Refer Order No.....dt.....and/or Tender/Enquiry/Letter No.....dt.....

(Please fill in the information in CAPITAL LETTERS. Please TICK wherever it is applicable)

1. Name of the Party :

2. Address of the party :.....

.....

.....

City :.....Pin Code:.....

E-mail Id: .....

PermanentAccountNumber :.....

3. Particulars of Bank:

Bank Name		Branch Name										
Branch Place		Branch City										
Pin Code		Branch Code										
MICR No												
(9 Digits code number appearing on the MICR Band of the cheque supplied by the Bank. Please attach Xerox copy of a cheque of your bank for ensuring accuracy of the bank name, branch name and code number)												
Account Type	Savings ف		Current ف		Cash Credit ف							
Account Number(as appearing in the Cheque Book)												
RTGS / IFSC Code												

4. Date from which the mandate should be effective :

I hereby declare that the particulars given above are correct and complete. If any transaction is delayed or not effected for reasons of incomplete or incorrect information, I shall not hold National Aluminium Company Limited responsible. I also undertake to advise any change in the particulars of my account to facilitate updation of records for purpose of credit of amount through RBI EFT / Internet / RTGS.

Place:

Date:

Signature of the party/Authorized Signatory

-----

Certified that particulars furnished above are correct as per our records.

Bank's Stamp:

Date:

(Signature of the Authorized Official from the Banks)