								S	TATUS O	F UTILISA	TION OF	COAL ASH	(FLY ASH )	AND BO	MOTTOM	ASH) fo	r Marc	h' 2025								
SI.	Name		of Quantity of Quantity of Total Ash Disposal Modes of Utilisation															Total ash	Ash	%						
No.	and	Coal	fly ash	bottom ash generated (MT)			(MT)	Cement	Ready mix concrete	Ash and Geo- Polymer based constucti on material	L L	Manufacturi ng of sintered of cold bonded ash Aggregates	Construction of Dams	Quary filling	Coal Mine Void	Dyke /Emban	rden dumps			Road Making			Address		utilised from the Current Period	Ash Utilised for Current Generat ion
						(b) Quantity of ash disposed in ash pond(s) during reporting period (Metric Tons) (c) Total quantity of water														Internal	External	-				
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
a	SPP, NALCO, DAMAN I	1410841.0	544286	136072	680358	608674	48983	22050	231									613475		-	0			684739		100.64
b		135185	55988	13997	69985	64661	4664	660	0									0			0			5324	57885	7.84%
С						666886																				

Disposal Method (\*) ((a) Total quantity of ash disposal in ash pond(s) (Metric Tons) as on 31st March (excluding reporting period) for the period 2023-24. (b) Quantity of ash disposed in ash pond(s) during reporting period (Metric Tons) for the year 2024-25. (c) Total quantity of water consumption for slurry discharge into ash ponds during reporting period (m3) for the year 2024-25